

# REFERENCES

- 1 Aerts, B.A., Esselink, P., & Helder, G.J.F. 1996. Habitat selection and diet composition of Greylag Geese *Anser anser* and Barnacle Geese *Branta leucopsis* during fall and spring staging in relation to management in the tidal marshes of the Dollard. *Z. Ökol. Naturschutz* **5**: 65-75.
- 2 Alerstam, T. 1990. *Bird migration*. Cambridge University Press, Cambridge.
- 3 Alerstam, T. & Å. Lindström. 1990. Optimal bird migration: the relative importance of time, energy and safety. In Gwinner, E. (ed.). *Bird migration: physiology and ecophysiology*: 331-351. Springer, Berlin.
- 4 Arnborn, T., Fedak, M.A. & I.L. Boyd. 1997. Factors affecting maternal expenditure in southern elephant seals during lactation. *Ecology* **78**: 471-483.
- 5 Arnborn, T., Fedak, M.A., Boyd, I.L. & B.J. McConnell. 1993. Variation in weaning mass of pups in relation to maternal mass, postweaning fast duration, and weaned pup behaviour in southern elephant seals (*Mirounga leonina*) at South Georgia. *Can. J. Zool.* **71**: 1772-1781.
- 6 Baerends, G.P. & R.H. Drent (eds.). 1982. The Herring Gull and its egg, II, The responsiveness to egg features. *Behaviour* **82**: 1-416.
- 7 Baird, D, Asmus, H. & R. Asmus. 2004. Energy flow of a boreal intertidal ecosystem, the Sylt-Rømø Bight. *Mar. Ecol. Prog. Ser.* **279**: 45-61.
- 8 Baker, J.D. & C.W. Fowler. 1992. Pup weight and survival of northern fur seals *Callorhinus ursinus*. *J. Zool., Lond.* **227**: 231-238.
- 9 Bakker, E.S. & H. Olf. 2003. Impact of different-sized herbivores in recruitment opportunities for subordinate herbs in grassland. *J. Veg. Sci.* **14**: 465-474.
- 10 Bakker, E.S., Olf, H., Boekhoff, M., Gleichman, J.M. & F. Berendse. 2004a. Impact of herbivores on nitrogen cycling: contrasting effects of small and large species. *Oecologia* **138**: 91-101.
- 11 Bakker, E.S., Olf, H., Vandenbergh, C., de Maeyer, K., Smit, R. & J.M. Gleichman. 2004b. Ecological anachronisms in the recruitment of temperate light-demanding tree species in wooded pastures. *J. Appl. Ecol.* **41**: 571-582.
- 12 Bakker, J.P., Esselink, P., Dijkema, K.S., Van Duin, W.E. & D.J. de Jong. 2002. Restoration of salt marshes. *Hydrobiol.* **478**: 29-51.
- 13 Bakker, J.P., Esselink, P., van der Wal, R. & K.S. Dijkema. 1997. Options for restoration and management of coastal salt marshes in Europe. In Urbanska, K.M., Webb, N.R. & P.J. Edwards (eds). *Restoration ecology and sustainable development*: 286-322. Cambridge University Press, Cambridge.
- 14 Balirwa, J.S., Chapman, C.A., Chapman, L.J., Cowx, I.G., Gaheb, K., Kaufman, L., Lowe-McConnell, R.H., Seehuusen, O., Wanink, J.H., Welcomme, R.L. & F. Witte. 2003. Biodiversity and fishery sustainability in the Lake Victoria basin: an unexpected marriage? *BioScience* **53**: 703-715.
- 15 Batt, B.D.J., Afton, A.D., Anderson, M.G., Ankney, C.D., Johnson, D.H., Kadlec, J.A. & G.L. Krapp (eds.). 1992. *Ecology and management of breeding waterfowl*. University of Minnesota Press, Minneapolis.
- 16 Bazely, D.R. & R.L. Jefferies. 1997. Trophic interactions in Arctic ecosystems and the occurrence of a terrestrial trophic cascade. In Woodin, S.J. & M. Marquess (eds.). *Ecology of Arctic environments*: 183-208. Blackwell Science, Oxford.
- 17 Beekman, J.H., Nolet, B.A. & M. Klaassen. 2003. Skipping swans: fuelling rates and wind conditions determine differential use of migratory stopover sites of Bewick's swans *Cygnus bewickii*. *Ardea* **90**: 437-460.
- 18 Beintema, A.J. & G.H. Visser. 1989. The effect of weather on the time budgets and development of chicks of meadow birds. *Ardea* **77**: 181-192.
- 19 Beintema, A.J. & G.J.D.M. Müskens. 1987. Nesting success of birds breeding in Dutch agricultural grasslands. *J. Appl. Ecol.* **24**: 743-758.
- 20 Beintema, A.J. & N. Drost. 1986. Migration of the Black-tailed Godwit. *Le Gerfaut* **76**: 37-62.
- 21 Beintema, A.J., Beintema-Hietbrink, E.J. & G.J.D.M. Müskens. 1985. A shift in the timing of breeding in meadow birds. *Ardea* **73**: 83-89.
- 22 Beintema, A.J., Moedt, O. & D. Ellinger. 1995. *Ecologische atlas van de Nederlandse weidevogels*. Schuyt & Co., Haarlem.
- 23 Blaxter, K. 1989. *Energy metabolism in animals and man*. Cambridge University Press, Cambridge.
- 24 Bokdam, J. 2001. Effects of browsing and grazing on cyclic succession in nutrient-limited ecosystems. *J. Veg. Sci.* **12**: 875-886.
- 25 Bos, D. & J. Stahl 2003. Creating new foraging opportunities for Dark-bellied Brent Geese *Branta bernicla* and Barnacle Geese *Branta leucopsis* in spring – insights from a large-scale experiment. *Ardea* **91**: 153-165.

- 26 Bos, D., Bakker, J.P., de Vries, Y. & S. van Lieshout. 2002. Long-term vegetation changes in experimentally grazed and ungrazed back-barrier marshes in the Wadden Sea. *Appl. Veg. Sci.* **5**: 45-54.
- 27 Bos, D., van de Koppel, J. & F.J. Weissing 2004. Dark-bellied Brent Geese aggregate to cope with increasing levels of primary production. *Oikos* **70**: 485-496.
- 28 Bossema, I. & R.R. Burgler. 1980. Communication during monocular and binocular looking in European Jays (*Garrulus g. glandarius*). *Behaviour* **74**: 274-283.
- 29 Both, C., Tinbergen, J.M. & M.E. Visser. 2000. Adaptive density dependence of avian clutch size. *Ecology* **81**: 3391-3403.
- 30 Brown, J.H., Whitham, T.G., Morgan Ernest, S.K. & C.A. Gehring. 2001. Complex species interactions and the dynamics of ecological systems: long-term experiments. *Science* **293**: 643-650.
- 31 Bryant, D.M. & K.R. Westerterp. 1983. Time and energy limits to brood size in house martins (*Delichon urbica*). *J. Anim. Ecol.* **52**: 905-925.
- 32 Bryant, D.M. & P. Tatner. 1991. Intraspecific variation in energy expenditure: correlates and constraints. *Ibis* **133**: 236-245.
- 33 Burton, H.R., Arnbom, T., Boyd, I.L., Bester, M., Vergani, D. & I. Wilkinson. 1997. Significant differences in weaning mass of southern elephant seals from five sub-Antarctic islands in relation to population declines. In: Battaglia, B., Valencia, J. & D.W.H. Walton (eds.). *Antarctic Communities: Species, Structure and Survival*: 335-338. Cambridge University Press, Cambridge.
- 34 Butler, P.J., Bishop, C.M. & A.J. Woakes. 2003. Chasing a wild goose: posthatch growth of locomotion muscles and behavioural physiology of migration of an Arctic goose. In Berthold, P., Gwinner, E. & E. Sonnenschein (eds.). *Avian Migration*: 527-542. Springer-Verlag, Berlin Heidelberg.
- 35 Carlini, A.R., Panarello, H.O., Marquez, M.E.I., Daneri, G.A. & G.E. Soave. 2000. Energy gain and loss during lactation and post-weaning in southern elephant seal pups (*Mirounga leonina*) at King George Island. *Polar Biol.* **23**: 437-440.
- 36 Chamberlain, C.P., Bensch, S., Feng, X., Åkesson, S. & T. Andersson. 2000. Stable isotopes examined across a migratory divide in Scandinavian willow warblers (*Phylloscopus trochilus trochilus* and *Phylloscopus trochilus acredula*) reflect their African winter quarters. *Proc. Roy. Soc. London B* **267**: 43-48.
- 37 Chitty, D. 1938. A laboratory study of pellet formation in the short-eared Drol. *Asiò flammæus*, *Proc. zool. Soc. A* **108**: 267-287.
- 38 Chitty, D. 1996. Do lemmings commit suicide? Beautiful hypotheses and ugly facts. Oxford University Press, New York.
- 39 Clausen, P., Green, M. & T. Alerstam. 2003. Energy limitations for spring migration and breeding: the case of brent geese *Branta bernicla* tracked by satellite telemetry to Svalbard and Greenland. *Oikos* **103**: 426-445.
- 40 Craig, M.P. & T.J. Ragen. 1999. Body size, survival, and decline of juvenile Hawaiian monk seals, *Monachus schauinslandi*. *Mar. Mamm. Sci.* **15**: 786-809.
- 41 Daan, S., Beersma, D.G.M. & A.A. Borbély. 1984. Timing of human sleep: recovery process gated by a circadian pacemaker. *Am. J. Physiol.* **246**: R161-R178.
- 42 Daan, S., Deerenberg, C. & C. Dijkstra. 1996. Increased daily work precipitates natural death in the kestrel. *J. Anim. Ecol.* **65**: 539-544.
- 43 Daan, S., Dijkstra, C. & J.M. Tinbergen. 1990. Family planning in the Kestrel (*Falco tinnunculus*): the ultimate control of covariation of laying date and clutch size. *Behaviour* **114**: 83-116.
- 44 Darwin, C. 1859. *On the origin of species by means of natural selection*. John Murray, London.
- 45 Darwin, C. 1871. *The descent of man and selection in relation to sex*. John Murray, London.
- 46 De Goeij, P., Luttkhuizen, P.C., van der Meer, J. & T. Piersma. 2001. Facilitation on an intertidal mudflat: the effect of siphon nipping by flatfish on burying depth of the bivalve *Macoma balthica*. *Oecologia* **126**: 500-506.
- 47 De Leeuw, J.J. 1999. Food intake rates and habitat segregation of tufted duck *Aythya fuligula* and scaup *Aythya marila* exploiting Zebra mussels *Dreissena polymorpha*. *Ardea* **87**: 15-31.
- 48 De Leeuw, J.J., Butler, P.J., Woakes, A.J. & F. Zegwaard. 1998. Body cooling and its energetic implications for feeding and diving of Tufted Ducks. *Physiol. Zool.* **71**: 720-730.
- 49 De Leeuw, J.J., van Eerden, M.R. & G.H. Visser. 1999. Wintering tufted ducks *Aythya fuligula* diving for Zebra mussels *Dreissena polymorpha* balance feeding costs within narrow margins of their energy budget. *J. Avian Biol.* **30**: 182-192.
- 50 De Waal, F. 1996. *Good natured: the origins of right and wrong in humans and other animals*. Harvard University Press, Cambridge.
- 51 Deerenberg, C., Apanius, V., Daan, S. & N. Bos. 1997. Reproductive effort decreases antibody responsiveness. *Proc. Roy. Soc. London B* **264**: 1021-1029.
- 52 Deerenberg, C., Pen, I., Dijkstra, C., Arkies, B.-J., Visser, G.H. & S. Daan. 1995. Parental energy expenditure in relation to manipu-

- lated brood size in the European Kestrel *Falco tinnunculus*. *Zool. Anal. Complex Syst.* **99**: 39-48.
- 53 Dietz, M.W. & M. van Kampen.** 1994. The development of thermoregulation in turkey and guinea fowl hatchlings: Similarities and differences. *J. Comp. Physiol. B* **164**: 69-75.
- 54 Dietz, M.W. & R.E. Ricklefs.** 1997. Growth rate and maturation of skeletal muscles over a size range of galliform birds. *Physiol. Zool.* **70**: 502-510.
- 55 Dietz, M.W., Dekinga, A., Piersma, T. & S. Verhulst.** 1999. Estimating organ size in small migrating shorebirds with ultrasonography: an intercalibration exercise. *Physiol. Biochem. Zool.* **72**: 28-37.
- 56 Dietz, M.W., Drent, R.H. & R.E. Ricklefs.** 1995. Biphasic development of metabolic rate in young precocial birds: a possible physiological basis. In: Dietz, M.W. *Development of metabolism and thermoregulation in galliforms. Effects of body mass, growth rate and functional maturity*: 57-76. PhD thesis, University of Utrecht, Utrecht.
- 57 Dijkstra, C., Bult, A., Bijlsma, S., Daan, S., Meijer, T. & M. Zijlstra.** 1990. Brood size manipulations in the kestrel (*Falco tinnunculus*): effects on offspring and parent survival. *J. Anim. Ecol.* **59**: 269-285.
- 58 Dijkstra, C., Daan, S. & I. Pen.** 1998. Fledging sex ratios in relation to brood size in size-dimorphic altricial birds. *Behav. Ecol.* **9**: 287-296.
- 59 Dircksen, R., J.B. Hulscher, H. Rittinghaus & G. Schnakenwinkel.** 1975. *Haematopus ostralegus*, Austernfischer. In: *Glutz von Blotzheim, Bauer & Bezzel (eds.) Handbuch der Vögel Mitteleuropas*: 26-86. Akademische Verlagsgesellschaft Wiesbaden.
- 60 Drent, J., van Marken Lichtenbelt, W.D. & M. Wikelski.** 1999. Effects of foraging mode and season on the energetics of the marine iguana *Amblyrhynchus cristatus*. *Funct. Ecol.* **13**: 493-499.
- 61 Drent, P.J. & J.W. Woldendorp.** 1989. Acid rain and eggshells. *Nature* **339**: 431.
- 62 Drent, R.H. & S. Daan** 1980. The prudent parent: energetic adjustments in avian breeding. *Ardea* **68**: 225-252.
- 63 Drent, R. & T. Piersma.** 1990. An exploration of the energetics of leap-frog migration in arctic breeding waders. In Gwinner, E. (ed.). *Bird migration: physiology and ecophysiology*: 399-412. Springer, Berlin.
- 64 Drent, R., Both, C., Green, M., Madsen, J. & T. Piersma.** 2003. Pay-offs and penalties of competing migratory schedules. *Oikos* **103**: 274-292.
- 65 Ebbinge, B.S.** 1985. Factors determining the population size of Arctic-breeding geese wintering in Western Europe. *Ardea* **73**: 121-128.
- 66 Ebbinge, B.S.** 1989. A multifactorial explanation for variation in breeding performance of Brent Geese *Branta bernicla*. *Ibis* **131**: 196-204.
- 67 Ebbinge, B.S.** 1991. The impact of hunting on mortality rates and spatial distribution of geese wintering in the western palearctic. *Ardea* **79**: 197-210.
- 68 Ebbinge, B.S. & B. Spaans.** 1995. The importance of body reserves accumulated in spring staging areas in the temperate zone for breeding in Dark-bellied Brent Geese *Branta b. bernicla* in the High Arctic. *J. Avian Biol.* **26**: 105-113.
- 69 Ebbinge, B.S., Berrevoets, C., Clausen, P., Ganter, B., Günther, K., Koffijberg, K., Mahéo, R., Rowcliffe, M., St Joseph, A.K.M., Südbeck, P. & E.E. Syroechkovsky Jr.** 1999. Dark-bellied Brent Goose, *Branta bernicla bernicla*. In: Madsen, J., Cracknell, G. & A.D. Fox (eds.). *Goose populations of the Western Palearctic*: 284-297. Wetlands International, Wageningen.
- 70 Ebbinge, B.S., Heesterbeek, J.A.P., Ens, B.J. & P.W. Goedhart.** 2002. Density dependent population limitation in Dark-bellied Brent Geese *Branta b. bernicla*. *Avian Sci.* **2**: 63-75.
- 71 Ebbinge, B.S., van Biezen, J.B. & H. van der Voet.** 1991. Estimation of annual adult survival rates of Barnacle Geese *Branta leucopsis* using multiple resightings of marked individuals. *Ardea* **79**: 73-112.
- 72 Eichhorn, G., Afanasyev, V., Drent, R.H. & H. van der Jeugd.** 2005. Spring stopover routines in Russian Barnacle Geese *Branta leucopsis* tracked by resightings and geolocation. *Ardea* **93**.
- 73 Ellis H.I. & G.W. Gabrielsen.** 2002. Energetics of free-ranging seabirds. In Schrieber, E.A. & J. Burger (eds.). *Biology of Marine Birds*: 359-407. CRC Press, Boca Raton.
- 74 Engelhard, G.H., Baarspul, A.N.J., Broekman, M., Creuwels, J.C.S. & P.J.H. Reijnders.** 2002. Human disturbance, nursing behaviour, and lactational pup growth in a declining southern elephant seal (*Mirounga leonina*) population. *Can. J. Zool.* **80**: 1876-1886.
- 75 Engelhard, G.H., Brasseur, S.M.J.M., Hall, A.J., Burton, H.R. & P.J.H. Reijnders.** 2002. Adrenocortical responsiveness in southern elephant seal mothers and pups during lactation and the effect of scientific handling. *J. Comp. Physiol. B* **172**: 315-328.
- 76 Engelhard, G.H., Hall, A.J., Brasseur, S.M.J.M. & P.J.H. Reijnders.** 2002. Blood chemistry in southern elephant seal mothers and pups during lactation reveals no effect of handling. *Comp. Biochem. Physiol. A* **133**: 367-378.
- 77 Engelhard, G.H., van den Hoff, J., Broekman, M., Baarspul, A.N.J., Field, I., Burton, H.R. &**

- P.J.H. Reijnders.** 2001. Mass of weaned elephant seal pups in areas of low and high human presence. *Polar Biol.* **24**: 244-251.
- 78 Ens, B.J.** 1998. Love thine enemy? *Nature* **391**: 635-637.
- 79 Ens, B.J., Choudhury, S. & J.M. Black.** 1996. Mate fidelity and divorce in monogamous birds. In: J.M. Black (ed.). *Partnerships in Birds*: 344-395. Oxford University Press, Oxford.
- 80 Ens, B.J., Kersten, M., Brenninkmeijer, A. & J.B. Hulscher.** 1992. Territory quality, parental effort and reproductive success of oystercatchers (*Haematopus ostralegus*). *J. Anim. Ecol.* **61**: 703-715.
- 81 Ens, B.J., Piersma, T., Wolff, W.J. & L. Zwarts.** (eds.). 1990. Homeward bound: problems waders face when migrating from the Banc d'Arguin, Mauritania, to their northern breeding grounds in spring. *Ardea* **78**: 1-364.
- 82 Ens, B.J., Smaal, A.C. & J. de Vlas.** 2004. The effects of shellfish fishery on the ecosystems of the Dutch Wadden Sea and Oosterschelde (Final Report EVA II) Alterra, Wageningen.
- 83 Ens, B.J., Weissing, F.J. & R.H. Drent.** 1995. The despotic distribution and deferred maturity: two sides of the same coin. *American Nat.* **146**: 625-650.
- 84 Esselink, P., Dijkema, K.S. & L.F.M. Fresco.** 2002. Vegetation change in a man-made salt marsh affected by a reduction in both grazing and drainage. *Appl. Veg. Sci.* **5**: 17-32.
- 85 Esselink, P., Helder, G.J.F., Aerts, B.A. & K. Gerdes.** 1997. The impact of grubbing by Greylag Geese (*Anser anser*) on the vegetation dynamics of a tidal marsh. *Aquatic Botany* **55**: 261-279.
- 86 Esselink, P., Zijlstra, W., Dijkema, K.S. & R. van Diggelen.** 2000. The effects of decreased management on plant species distribution patterns in a salt marsh nature reserve in the Wadden Sea. *Biol. Conserv.* **93**: 61-76.
- 87 Etherington, G. & B. Small.** 2003. Taxonomy and identification of atlas flycatcher – a potential British vagrant. *BirdingWorld* **16**: 252-256.
- 88 Fedak, M.A., Arnobom, T. & I.L. Boyd.** 1996. The relation between the size of elephant seal mothers, the growth of their pups, and the use of maternal energy, fat, and protein during lactation. *Physiol. Zool.* **69**: 887-911.
- 89 Fisher, R.A.** 1930. *The Genetical Theory of Natural Selection*. Oxford University Press, Oxford.
- 90 Forbes, L.S. & R.C. Ydenberg.** 1992. Sibling rivalry in a variable environment. *Theor. Popul. Biol.* **41**: 135-160.
- 91 Forbes, S.** 2005. *A natural history of families*. Princeton University Press, New Jersey.
- 92 Fossey, D.** 1983. *Gorillas in the mist*. Houghton Mifflin Company, Boston.
- 93 Geissler, A.** 1889. Beiträge zur Frage des Geschlechtsverhältnisses der Geborenen. *Zeitschrift des K. Sachsischen Statistischen Bureauus*.
- 94 Goldschmidt, T.** 1998. *Darwin's dreampond, drama in Lake Victoria*. MIT Press, Cambridge, Massachusetts.
- 95 Goss-Custard, J.D., le V. dit Durell, S.E.A., Goater, C.P., Hulscher, J.B., Lambeck, R.H.D., Meininger, P.L. & J. Urft.** 1996. How oystercatchers survive the winter. In: J.D.Goss-Custard (ed). *The Oystercatcher: from individuals to populations*: 133-154. Oxford University Press, Oxford.
- 96 Graveland, J., van der Wal, R., van Balen, J.H. & A.J. van Noordwijk.** 1994. Poor reproduction in forest passerines from decline of snail abundance on acidified soils. *Nature* **368**: 446-448.
- 97 Graveland, J.R. & J.E. Berends.** 1997. Timing of the calcium uptake and effect of calcium deficiency on behaviour and egg-laying in captive great tits, *Parus major*. *Physiol. Zool.* **70**: 74-84.
- 98 Graveland, J.R. & R. van der Wal.** 1996. Decline of snail abundance by soil acidification causes eggshell defects in forest passerines. *Oecologia* **105**: 351-360.
- 99 Graveland, J.R. & R.H. Drent.** 1996. Calcium availability limits breeding success of passerines on poor soils. *J. Anim. Ecol.* **66**: 279-288.
- 100 Graveland, J.R. & T. van Gijzen.** 1994. Arthropods and seeds are not sufficient as calcium sources for shell formation and skeletal growth in passerines. *Ardea* **82**: 299-314.
- 101 Green, M., Alerstam, T., Clausen, P., Drent, R. & B.S. Ebbinge.** 2002. Dark-bellied Brent Geese *Branta bernicla bernicla* as recorded by satellite telemetry, do not minimize flight distance during spring migration. *Ibis* **144**: 106-121.
- 102 Gwinner, E. & B. Helm.** 2003. Circannual and circadian contributions to the timing of avian migration. In Berthold, P., Gwinner, E. & E. Sonnenschein (eds.). *Avian Migration*: 81-95. Springer-Verlag, Berlin Heidelberg.
- 103 Hall, A.J., McConnell, B.J. & R.J. Baker.** 2001. Factors affecting first-year survival in grey seals and their implications for life history strategy. *J. Anim. Ecol.* **70**: 138-149.
- 104 Hanley, G.** 1971. *Warriors and strangers*. Hamish Hamilton, London.
- 105 Hedenström, A., Alerstam, T. & S. Åkesson.** 2003. Ecology of long-distance movements: migration and orientation performance. *Oikos* **103**: 243-448.

- 106 Heg, D. & M. van der Velde. 2001. Effects of territory quality, food availability and sibling competition on the fledging success of Oystercatchers (*Haematopus ostralegus*). *Behav. Ecol. Sociobiol.* **49**: 157-169.
- 107 Heg, D. & R. van Treuren. 1998. Female-female cooperation in polygynous Oystercatchers. *Nature* **391**: 687-691.
- 108 Heg, D., Bruinzeel, L.W. & B.J. Ens. 2003. Fitness consequences of divorce in the Oystercatcher, *Haematopus ostralegus*. *Anim. Behav.* **66**: 175-184.
- 109 Heg, D., Dingemanse, N.J., Lessells, C.M. & A.C. Mateman. 2000. Parental correlates of offspring sex ratio in Eurasian Oystercatchers. *Auk* **117**: 980-986.
- 110 Heg, D., Ens, B.J., Burke, T., Jenkins, L. & J.P. Kruijt. 1993. Why does the typically monogamous Oystercatcher (*Haematopus ostralegus*) engage in extra-pair copulations? *Behaviour* **126**: 247-289.
- 111 Heg, D., Ens, B.J., van der Jeugd, H. & L.W. Bruinzeel. 2000. Local dominance and territorial settlement of nonbreeding oystercatchers. *Behaviour* **137**: 473-530.
- 112 Helbig, A.J. 1996. Genetic basis, mode of inheritance and evolutionary changes of migratory directions in Palearctic warblers (Aves: Sylviidae). *J. Exp. Biol.* **199**: 49-55.
- 113 Hindell, M.A., Bryden, M.M. & H.R. Burton. 1994. Early growth and milk composition in southern elephant seals (*Mirounga leonina*). *Aust. J. Zool.* **42**: 723-732.
- 114 Hindell, M.A., McConnell, B.J., Fedak, M.A., Slip, D.J., Burton, H.R., Reijnders, P.J.H. & C.R. McMahon. 1999. Environmental and physiological determinants of successful foraging by naive southern elephant seal pups during their first trip to sea. *Can. J. Zool.* **77**: 1807-1821.
- 115 Hindell, M.A., Slip, D.J. & H.R. Burton. 1994. Possible causes of the decline of southern elephant seal populations in the southern Pacific and southern Indian Oceans. In: Le Boeuf, B.J. & R.M. Laws (eds.). *Elephant Seals: Population Ecology, Behavior, and Physiology*: 66-84. University of California Press, Berkeley and Los Angeles.
- 116 Hulscher, J.B., K.-M. Exo, & N.A. Clark. 1996. Why do oystercatchers migrate? In: J.D.Goss-Custard (ed). *The Oystercatcher: from individuals to populations*: 155-185. Oxford University Press, Oxford.
- 117 Hummel, H. 1985. Food intake of *Macoma balthica* (Mollusca) in relation to seasonal changes in its potential food on a tidal flat in the Dutch Wadden Sea. *Neth. J. Sea Res.* **31**: 71-81.
- 118 Jackson, J.B.C. Kirby, M.X., Berger, W.H., Bjorndal, K.A., Botsford, L.W., Bourque, B.J., Bradbury, R.H., Cooke, R., Erlandson, J., Estes, J.A., Hughes, T.P., Kidwell, S., Lange, C.B., Lenihan, H.S., Pandolfi, J.M., Peterson, C.H., Steneck, R.S., Tegner, M.J. & Warner, R.R. 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science* **293**: 629-638.
- 119 Kamermans, P. 1994. Nutritional value of solitary cells and colonies of *Phaeocystis* sp. for the bivalve *Macoma balthica* (L.). *Ophelia* **39**: 35-44.
- 120 Kamermans, P. 1994. Similarity in food source and timing of feeding in deposit- and suspension-feeding bivalves. *Mar. Ecol. Prog. Ser.* **104**: 63-75.
- 121 Kamermans, P. & H.J. Huitema. 1994. Shrimp (*Crangon crangon* L.) browsing upon siphon tips inhibits feeding and growth in the bivalve *Macoma balthica* (L.). *J. Exp. Mar. Biol. Ecol.* **175**: 59-75.
- 122 Kamermans, P., van der Veer, H.W., Karszmarski, L. & G.W. Doeglas. 1992. Competition in deposit- and suspension-feeding bivalves: experiments in controlled outdoor environments. *J. Exp. Mar. Biol. Ecol.* **162**: 113-135.
- 123 Klaassen, M. 1994. Growth and energetics of tern chicks from temperate and polar environments. *Auk* **111**: 525-544.
- 124 Klaassen, M. & R. Drent. 1991. An analysis of hatchling resting metabolism: in search of ecological correlates that explain deviations from allometric relations. *Condor* **93**: 612-629.
- 125 Klaassen, M., Beekman, J.H., Kontiokorpi, J., Mulder, R.J.W. & B.A. Nolet. 2004. Migrating swans profit from favourable changes in wind conditions at low altitude. *J. Orn.* **145**: 142-151.
- 126 Klasing, K.C. 1998. *Comparative avian nutrition*. CAB International, Wallingford.
- 127 Klein, J. & N. Takahata. 2002. *Where do we come from? The molecular evidence for human descent*. Springer Verlag, Berlin.
- 128 Komdeur, J. 1994. Conserving the Seychelles warbler *Acrocephalus sechellensis* by translocation from Cousin Island to the islands of Aride and Cousine. *Biol. Conserv.* **76**: 143-152.
- 129 Komdeur, J. 2003. Daughters on request: about helpers and egg sexes in the Seychelles warbler. *Proc. Roy. Soc. Lond. Ser. B* **270**: 3-11.
- 130 Komdeur, J. 2003. Mother knows best: sons or daughters? *Behav. Ecol.* **15**: 8-10.
- 131 Komdeur, J. & I. Pen. 2002. Adaptive sex allocation in birds: the complexities of linking theory and practice. *Phil. Trans. Roy. Soc. (Lond.) B* **357**: 373-380.

- 132 Komdeur, J., Magrath, M.S.L. & S. Krakchow. 2002. Pre-ovulation control of hatching sex ratio in the Seychelles Warbler. *Proc. Roy. Soc. Lond. B* 269:1067-1072.
- 133 Komdeur, J., Daan, S., Tinbergen, J. & C. Mateman. 1997. Extreme adaptive modification in sex ratio of the Seychelles warbler's eggs. *Nature* 385: 522-525.
- 134 Komdeur, J., Piersma, T., Kraaijeveld, K., Kraaijeveld-Smith, F. & D.S. Richardson. 2004. Why Seychelles warblers fail to recolonise nearby islands: unwilling or unable to fly there? *Ibis* 146: 298-302.
- 135 Krebs, C.J. 1972. *Ecology, the experimental analysis of distribution and abundance*. Harper International, New York.
- 136 Krebs, J.R. & N.B. Davies. 1978. *Behavioural ecology, an evolutionary approach*. Blackwell Scientific, Oxford.
- 137 Kvist, A. & Å. Lindström. 2003. Gluttony in migratory waders-unprecedented energy assimilation rates in vertebrates. *Oikos* 103: 397-402.
- 138 Lack, D. 1954. *The natural regulation of animal numbers*. Oxford University Press, London.
- 139 Lack, D. 1966. *Population studies of birds*. Clarendon Press, Oxford.
- 140 Loonen, M.J.J.E., Bruinzeel, L.W., Black, J.M. & R.H. Drent. 1999. The benefit of large broods in barnacle geese: a study using natural and experimental manipulations. *J. Anim. Ecol.* 68: 753-768.
- 141 Loonen, M.J.J.E., Oosterbeek, K. & R.H. Drent. 1997. Variation in growth of young and adult size in barnacle geese *Branta leucopsis*: Evidence for density dependence. *Ardea* 79: 253-260.
- 142 Loonen, M.J.J.E., Tombre, I.M. & F. Mehlum. 1998. Development of an arctic barnacle goose colony: Interactions between density and predation. *Norsk Polarinst. Skr.* 200: 67-79.
- 143 Loth, P.E. 1999. *The vegetation of Manyara: scale-dependent states and transitions in the African Rift Valley*. Report, Wageningen Agricultural University, Wageningen.
- 144 Loth, P.E. & H.H.T. Prins. 1986. Spatial patterns of the landscape and vegetation of Lake Manyara National Park, Tanzania. *ITC Journ.* 1986(2): 115-130 (includes vegetation map 1:50,000).
- 145 Loth, P.E., de Boer, F., Heitkönig, I.M.A. & H.H.T. Prins. (in press). Germination strategy of *Acacia tortilis* trees in a heterogeneous East Africa savanna environment. *J.Tropical Ecol.*
- 146 Lundberg, A. & R.V. Alatalo. 1992. *The pied flycatcher*. T & AD Poyser, London.
- 147 Machmer, M. & R.C. Ydenberg. 1989. Weather and osprey foraging energetics. *Can. J. Zool.* 68: 40-43.
- 148 Madsen, J. & M. Klaassen (in press) Pre-breeding body stores determine reproductive success and survival in a high-Arctic migratory goose.
- 149 Malecki, R.A., Batt, B.D.J. & S.E. Shaeffer. 2001. Spatial and temporal distribution of Atlantic population Canada Geese. *J.Wildl. Mgmt.* 65: 242-247.
- 150 Masman, D., Daan, S. & C. Dijkstra. 1988. Time allocation in the kestrel (*Falco tinnunculus*) and the principle of energy minimization. *J. Anim. Ecol.* 57: 411-432.
- 151 Masman, D., Daan, S. & H.J.A. Beldhuis. 1988. Ecological energetics of the kestrel: daily energy expenditure throughout the year based on time-energy budget, food intake and doubly-labelled water methods. *Ardea* 76: 64-81.
- 152 Masman, D., Dijkstra, C., Daan, S. & A. Bult. 1989. Energetic limitation of avian parental effort: field experiments in the kestrel (*Falco tinnunculus*). *J. Evol. Biol.* 2: 435-455.
- 153 Maynard Smith, J. 1983. *Evolution and the theory of games*. Cambridge University Press, Cambridge.
- 154 McConnell, B., Fedak, M., Burton, H.R., Engelhard, G.H. & P.J.H. Reijnders. 2002. Movements and foraging areas of naïve, recently weaned southern elephant seal pups. *J. Anim. Ecol.* 71: 65-78.
- 155 McMahan, C.R., Bester, M.N., Burton, H.R., Hindell, M.A. & C.J.A. Bradshaw. 2005. Population status, trends and a re-examination of the hypotheses explaining the recent declines of the southern elephant seal *Mirounga leonina*. *Mammal Rev.* 35: 82-100.
- 156 McMahan, C.R., Burton, H.R. & M.N. Bester. 2000. Weaning mass and the future survival of juvenile southern elephant seals, *Mirounga leonina*, at Macquarie Island. *Antarct. Sci.* 12: 149-153.
- 157 McNaughton, S.J. 1979. Grassland-herbivore dynamics. In Sinclair, A.R.E. & M. Norton-Griffiths (eds.). *Serengeti: Studies of ecosystem dynamics in a tropical savanna*: 46-81 University of Chicago Press, Chicago.
- 158 Meijer, T. & R. Drent. 1999. Re-examination of the capital and income dichotomy in breeding birds. *Ibis* 141: 399-414.
- 159 Meijer, T., Dijkstra, C. & S. Daan. 1988. Female condition and reproduction. Effects of food manipulation in free-living and captive kestrels. *Ardea* 76: 141-154.



- 160 Meijer, T., Masman, D., & S. Daan. 1989. Energetics of reproduction in female kestrels. *Auk* **106**: 549-559.
- 161 Moussaieff Masson, J. & S. McCarthy. 1995. When elephants weep: the emotional lives of animals. Delacorte Press, New York.
- 162 Nolet, B.A. & F. Rosell. 1994. Territoriality and time budgets in beavers during sequential settlement. *Can. J. Zool.* **72**: 1227-1237.
- 163 Nolet, B.A. & J.M. Baveco. 1996. Development and viability of a translocated beaver *Castor fiber* population in the Netherlands. *Biol. Conserv.* **75**: 125-137.
- 164 Nolet, B.A. & R.H. Drent. 1998. Bewick's swans refuelling on pondweed tubers in the Dvina Bay (White Sea) during their spring migration: first come, first served. *J. Avian Biol.* **29**: 574-584.
- 165 Nolet, B.A., Broekhuizen, S., Dorresteyn, G.M. & K.M. Rienks. 1997. Infectious diseases as main causes of mortality to beavers *Castor fiber* after translocation to the Netherlands. *J. Zool.* **241**: 35-42.
- 166 Nolet, B.A., Dijkstra, V.A.A. & D. Heidecke. 1994. Cadmium in beavers translocated from the Elbe River to the Rhine/Meuse estuary, and the possible effect on population growth rate. *Arch. Environ. Contam. Toxicol.* **27**: 154-161.
- 167 Nolet, B.A., Hoekstra, A. & M.M. Ottenheim. 1994. Selective foraging on woody species by the beaver *Castor fiber* and its impact on a riparian willow forest. *Biol. Conserv.* **70**: 117-128.
- 168 Nolet, B.A., van der Veer, P., Evers, E.G.J. & M.M. Ottenheim. 1995. A linear programming model of diet choice of free-living beavers. *Neth. J. Zool.* **45**: 315-337.
- 169 Olff, H., de Leeuw, J., Bakker, J.P., Platerink, R.J., van Wijnen, H.J. & W. de Munck. 1997. Vegetation succession and herbivory in a salt marsh: changes induced by sea-level rise and silt deposition on elevational gradients. *J. Ecol.* **85**: 799-814.
- 170 Olff, H., Ritchie, M.E. & H.H.T. Prins. 2002. Global environmental determinants of diversity in large herbivores. *Nature* **415**: 901-905.
- 171 Olff, H., Vera, F.W.M., Bokdam, J., Bakker, E.S., Gleichman, J.M., De Maeyer, K. & R. Smit. 1999. Associational resistance of plants to herbivory may lead to shifting mosaics in grazed woodlands. *Plant Biology* **1**: 127-137.
- 172 Pearl, R. 1925. *The biology of population growth*. Alfred Knopf, New York.
- 173 Pen, I. 2000. Reproductive effort in viscous populations. *Evolution* **54**: 293-297.
- 174 Pen, I., Weissing, F.-J. & S. Daan. 1999. Seasonal sex ratio trend in the European Kestrel: an ESS analysis. *Amer. Nat.* **153**: 384-397.
- 175 Phillips, R.A., Silk, J.R.D., Croxall, J.P., Afanasjev, V. & D.R. Briggs. 2004. Accuracy of geolocation estimates for flying seabirds. *Mar. Ecol. Progr. Ser.* **266**: 265-272.
- 176 Piersma, T. 2002. Energetic bottlenecks and other design constraints in avian annual cycles. *Integr. Comp. Biol.* **42**: 51-67.
- 177 Piersma, T. & Å. Lindström. 1997. Rapid reversible changes in organ size as a component of adaptive behaviour. *Trends in Ecology and Evolution* **12**: 134-138.
- 178 Piersma, T., De Goeij, P. & I. Tulp. 1993. An evaluation of intertidal feeding habitats from a shorebird perspective: towards relevant comparisons between temperate and tropical mudflats. *Neth. J. Sea Res.* **31**: 503-512.
- 179 Piersma, T., Koolhaas, A., Dekinga, A., Beukema, J.J. & K. Essink. 2001. Long-term indirect effects of mechanical cockle-dredging on intertidal bivalve stocks in the Wadden Sea. *J. Appl. Ecol.* **38**: 976-990.
- 180 Pott, R. & Hüppe, J. 1993. *Die Hudenlandschaften Nordwestdeutschlands*.
- 181 Prins, H.H.T. 1996. *Ecology and behaviour of the African Buffalo, social inequality and decision making*. Chapman & Hall, London.
- 182 Prins, H.H.T. & F.J. Weyerhaeuser. 1987. Epidemics in populations of wild ruminants: anthrax, and impala, rinderpest and buffalo in Lake Manyara National Park, Tanzania. *Oikos* **49**: 28-38.
- 183 Prins, H.H.T. & H.P. Van der Jeugd. 1993. Herbivore crashes and woodland structure in East Africa. *J. Ecol.* **81**: 305-314.
- 184 Prins, H.H.T. & I. Douglas-Hamilton. 1990. Stability in a multi-species assemblage of large herbivores in Africa. *Oecologia* **83**: 392-400.
- 185 Prop, J. 2004. *Food finding: on the trail to successful reproduction in migratory geese*. Dissertation, University of Groningen, Groningen.
- 186 Prop, J. & C. Deerenberg. 1991. Spring staging in brent geese *Branta bernicla*: feeding constraints and the impact of diet on the accumulation of body reserves. *Oecologia* **87**: 19-28.
- 187 Prop, J. & J.M. Black. 1998. Food intake, body reserves and reproductive success of barnacle geese *Branta leucopsis* staging in different habitats. *Norsk Polarinst. Skr.* **200**: 175-193.
- 188 Prop, J. & T. Vulink. 1992. Digestion by barnacle geese in the annual cycle: the interplay between retention time and food quality. *Funct. Ecol.* **6**: 180-189.

- 189 Prop, J., Black, J.M. & P. Shimmings. 2003. Travel schedules to the high arctic: barnacle geese trade-off the timing of migration with accumulation of fat deposits. *Oikos* **103**: 403-414.
- 190 Raveling, D.G. 1979. The annual cycle of body composition of Canada Geese with special reference to control of reproduction. *Auk* **96**: 234-252.
- 191 Riisgard, H.U. & P. Kamermans. 2001. Switching between deposit- and suspension-feeding in coastal zoobenthos. In Reise, K. (ed.). *Ecological Comparisons of Sedimentary Shores*: 73-101. Springer Verlag, Berlin.
- 192 Rubenstein, D.R. & K.A. Hobson. 2004. From birds to butterflies: animal movement patterns and stable isotopes. *Trends in Ecology & Evolution* **19**: 256-263.
- 193 Ryden, H. 1989. *Lily Pond: four years with a family of beavers*. William Morrow and Company, New York.
- 194 Schekkerman, H., Tulp, I., Piersma, T. & G.H. Visser. 2003. Mechanisms promoting higher growth rate in arctic than in temperate shorebirds. *Oecologia* **134**: 332-342.
- 195 Schmidt-Nielsen, K. 2001. *Animal physiology: adaptation and environment* (5<sup>th</sup> edition), Cambridge University Press, Cambridge.
- 196 Speakman, J.R. 2000. The cost of living: field metabolic rates of small mammals. *Adv. Ecol. Res.* **30**: 177-297.
- 197 Stahl, J., Tolsma, P.H., Loonen, M.J.J.E. & R.H. Drent 2001. Subordinates explore but dominants profit: resource competition in high Arctic barnacle goose flocks. *Anim. Behav.* **61**: 257-264.
- 198 Steeger, C., Esselink, H. & R.C. Ydenberg. 1992. Comparative feeding ecology and reproductive performance of ospreys in different habitats of southeastern British Columbia. *Can. J. Zool.* **70**: 470-475.
- 199 Stienen, E. 2002. Grote Stern, *Sterna sandvicensis*. pp. 246-247 in: SOVON Vogelonderzoek Nederland 2002, *Atlas van de Nederlandse Broedvogels 1998-2000*. – Ned. Fauna 5. Nationaal Natuurhistorisch Museum Naturalis, KNNV Uitgeverij & European Invertebrate Survey-Nederland, Leiden
- 200 Stienen, E. 2005. Living with gulls: Trading off food and predation in the Sandwich Tern *Sterna sandvicensis*. Dissertation, University of Groningen, Groningen.
- 201 Stienen, E.W.M., van Beers, A., Brenninkmeijer, A., Habraken, J.M.P.M., Raaijmakers, M.H.J.E. & P.G.M. van Tienen. 2000. Reflections of a specialist: patterns in food provisioning and foraging conditions in Sandwich Terns *Sterna sandvicensis*. *Ardea* **88**: 33-49.
- 202 Teunissen, W., Spaans, B. & R.H. Drent 1985. Breeding success in brent in relation to individual feeding opportunities during spring staging in the Wadden Sea. *Ardea* **73**: 109-120.
- 203 Tieleman, B.I. & J.B. Williams. 2002. Effects of food supplementation on behavioral decisions of Hoopoe larks in the Arabian Desert: balancing water, energy and thermoregulation. *Animal Behaviour* **63**: 519-529.
- 204 Tieleman, B.I. & J.E. Williams. 2000. The adjustment of avian metabolic rates and water fluxes to desert environments. *Physiol. Biochem. Zool.* **73**: 461-479.
- 205 Tieleman, B.I., Williams, J.B. & G.H. Visser. 2004. Energy and water budgets of larks in a life history perspective: parental effort varies with aridity. *Ecology* **85**: 1399-1410.
- 206 Tieleman, B.I., Williams, J.B. & M.E. Buschur. 2002. Physiological adjustments to arid and mesic environments in larks (*Alaudidae*). *Physiological and Biochemical Zoology* **75**: 305-313.
- 207 Tinbergen, J.M. & C. Both. 1999. Is clutch size individually optimized? *Behav. Ecol.* **10**: 504-509.
- 208 Tinbergen, J.M. & J.J. Sanz. 2004. Strong evidence for selection for larger brood size in a great tit population. *Behav. Ecol.* **15**: 525-533.
- 209 Tinbergen, J.M. & S. Daan. 1990. Family planning in the Great Tit (*Parus major*): optimal clutch size as integration of parent and offspring fitness. *Behaviour* **114**: 161-190.
- 210 Trivers, R.L. 1972. Parental investment and sexual selection. In Campbell, B. (ed.). *Sexual selection and the descent of man*: 136-179. Heineman, London.
- 211 Van de Kam, J., Ens, B., Piersma, T. & L. Zwarts 2004. *Shorebirds, an illustrated behavioural ecology*. KNNV Publishers, Utrecht.
- 212 Van de Koppel, J., Herman, P.M.J., Thoolen, P. & C.H.R. Heip. 2001. Do alternate stable states occur in natural ecosystems? Evidence from a tidal flat. *Ecology* **82**: 3449-3461.
- 213 Van der Graaf, A.J., Bos, D., Loonen, M.J.J.E., Engelmoer, M. & R.H. Drent 2002. Short-term and long-term facilitation of goose grazing by livestock in the Dutch Wadden Sea area. *J. Coastal Conservation* **8**: 179-188.
- 214 Van der Graaf, A.J., Stahl J. & J.P. Bakker. 2005. Compensatory growth of *Festuca rubra* after grazing – Can migratory herbivores increase their own harvest during staging? *Funct. Ecol.* **19**.
- 215 Van der Jeugd, H., Olthoff, M. & J. Stahl 2001. Breeding range translates into staging site



- choice: Baltic and Arctic Barnacle Geese *Branta leucopsis* use different habitats at a Dutch Wadden Sea island. *Ardea* **89**: 253-265.
- 216 Van der Jeugd, H.P., Gurtovaya, E., Eichhorn, G., Litvin, K.Ye., Mineyev, O.Y. & M.R. van Eerden. 2003. Breeding barnacle geese in Kolokolkova Bay, Russia: number of breeding pairs, reproductive success and morphology. *Polar Biol.* **26**: 700-706.
- 217 Van der Meer, J. & B.J. Ens. 1997. Models of interference and their consequences for the spatial distribution of ideal and free predators. *J. Anim. Ecol.* **66**: 846-858.
- 218 Van der Meer, J., Beukema, J.J. & R. Dekker. 2001. Long-term variability in secondary production of an intertidal bivalve population is primarily a matter of recruitment variability. *J. Anim. Ecol.* **70**: 159-169.
- 219 Van der Wal, R., Kunst, P. & R. Drent. 1998. Interactions between hare and brent goose in a salt marsh system: Evidence for food competition? *Oecologia* **117**: 227-234.
- 220 Van der Wal, R., Van Lieshout, S., Bos, D. & R.H. Drent. 2000. Are spring staging brent geese evicted by vegetation succession? *Ecography* **23**: 60-69.
- 221 Van der Wal, R., Van Wijnen, H., Van Wieren, S., Beucher, O. & D. Bos. 2000. On facilitation between herbivores: how brent geese profit from brown hares. *Ecology* **81**: 969-980.
- 222 Van Eerden, M.R. 1984. Waterfowl movements in relation to food stocks. In: Evans, P.R., Goss-Custard, J.D. & W.G. Hale (eds.). *Coastal waders and wildfowl in winter*: 84-100. Cambridge University Press, Cambridge.
- 223 Van Eerden, M.R. 1998. Patchwork: Patch use, habitat exploitation and carrying capacity for water birds in Dutch freshwater wetlands. *Van Zee tot Land* (Lelystad) **65**: 1-447.
- 224 Van Eerden, M.R., Drent, R.H., Stahl, J. & J.P. Bakker. 2005. Connecting seas: western Palaearctic continental flyway for water birds in the perspective of changing land use and climate. *Global Change Biol.* **11**: 894-908.
- 225 Van Eerden, M.R., Zijlstra, M., van Roomen, M. & A. Timmerman. 1996. The response of Anatidae to changes in agricultural practice: long-term shifts in the carrying capacity of wintering waterfowl. *Gibier Faune Sauvage* **13**: 681-706.
- 226 Van Gils, J.A., Battley, P.F., Piersma, T. & R. Drent. 2005a. Reinterpretation of gizzard sizes of red knots world-wide emphasises overriding importance of prey quality at migratory stopover sites. *Proc. R. Soc. London B* (in press).
- V227 an Gils, J.A., De Rooij, R., Van Belle, J., Van der Meer, J., Dekinga, A., Piersma, T. & R. Drent. 2005b. Digestive bottleneck affects foraging decisions in red knots (*Calidris canutus*). I. Prey choice. *J. Anim. Ecol.* **74**: 105-119.
- 228 Van Gils, J.A., Dekinga, A., Spaans, B., Vahl, W.K. & T. Piersma. 2005c. Digestive bottleneck affects foraging decisions in red knots (*Calidris canutus*). II. Patch choice and length of working day. *J. Anim. Ecol.* **74**: 120-130.
- 229 Van Marken Lichtenbelt, W., Wesselingh, R., Vogel, J. & K. Albers. 1993. Energy budgets in free living green iguanas in a seasonal environment. *Ecology* **74**: 1157-1172.
- 230 van Rhijn, J.G. 1985. Black-headed gull or black-headed girl? On the advantage of concealing sex in gulls and other colonial birds. *Neth. J. Zool.* **35**: 87-102.
- 231 Van Rhijn, J.G. 1991. *The Ruff: individuality in a gregarious wading bird*. T. & A.D. Poyser, London.
- 232 Van Rhijn, J.G. & A.G.G. Groothuis. 1987. On the mechanism of mate selection in Black-headed Gulls. *Behaviour* **100**: 134-169.
- 233 Van Rhijn, J.G. & R. Vodegel. 1980. Being honest about one's intentions, an evolutionary stable strategy for animal conflicts. *J. Theor. Biol.* **85**: 623-641.
- 234 Veen, J. 1977. Functional and causal aspects of nest distribution in colonies of the Sandwich Tern (*Sterna s. sandvicensis* Lath.). *Behaviour Suppl.* **20**: 1-193.
- 235 Veen, J. & T. Piersma. 1986. Causation and function of different vocal reactions of Little Gulls *Larus minutus* to intruders near the nest. *Behaviour* **96**: 241-264.
- 236 Veen, T., Borge, T., Griffith, S.C., Sætre, G.P., Bures, S., Gustasson, L. & B.C. Sheldon. 2001. Hybridization and adaptive mate choice in flycatchers. *Nature* **411**: 45-50.
- 237 Vera, F.W.M. 2000. *Grazing Ecology and Forest History*. CABI, Wallingford.
- 238 Verhulst, S. & J.M. Tinbergen. 1991. Experimental evidence for a causal relationship between timing and success of reproduction in the Great Tit *Parus m. major*. *J. Anim. Ecol.* **69**: 269-282.
- 239 Verhulst, S., Oosterbeek, K., Rutten, A.L. & B.J. Ens. 2004. Shellfish fishery severely reduces condition and survival of oystercatchers despite creation of Large Marine Protected Areas. *Ecology & Society* **9**: 17.
- 240 Visser, M.E., van Noordwijk, A.J., Tinbergen, J.M. & C.M. Lessells. 1998. Warmer springs lead to mis-timed reproduction in great tits (*Parus major*). *Proc. Roy. Soc. (Lond.) B* **265**: 1867-1870.

- 241 **Vulink, J.T.** 2001. Hungry Herds, management of temperate lowland wetlands by grazing. *Van Zee tot Land (Lelystad)* **66**: 1-394.
- 242 **Wanink, J. & L. Zwarts.** 1985. Does an optimally foraging oystercatcher obey the functional response? *Oecologia* **67**: 98-106.
- 243 **Wanink, J.H.** 1996. Foraging locations of kingfishers and cormorants at Lake Victoria depend on the distribution of harvestable prey. *Afr. J. Ecol.* **34**: 90-93.
- 244 **Wanink, J.H.** 1998. Were the effects of Nile perch introduction on Lake Victoria's birds predictable? In Goss-Custard, J.D. et al. (eds.). *Effect of habitat loss and change on waterbirds*: 131-137. HM Stationary Office, London.
- 245 **Wanink, J.H. & F. Witte.** 2000. The use of perturbation as a natural experiment: effects of predator introduction on the community structure of zooplanktivorous fish in Lake Victoria. *Adv. Ecol. Res.* **31**: 553-570.
- 246 **Wanink, J.H. & P.C. Goudswaard.** 2000. The impact of Lake Victoria's lakefly abundance on Palearctic passerines. *Ostrich* **71**: 194-197.
- 247 **Westerterp, K.R.** 2001. Energy and water balance at high altitude. *News Physiol. Sci.* **15**: 134-137.
- 248 **Westerterp, K.R.** 2001. Limits to sustainable human metabolic rate. *J. Exp. Biol.* **204**: 3183-3187.
- 249 **Westerterp, K.R., Kayser, B., Brouns, F., Herry, J.P. & W.H.M. Saris.** 1992. Energy expenditure climbing Mt Everest. *J. Appl. Physiol.* **73**: 1815-1819.
- 250 **Wiersma, P. & T. Piersma.** 1994. Effects of microhabitat, flocking, climate and migratory goal on energy expenditure in the annual cycle of red knots. *Condor* **96**: 257-279.
- 251 **Wikelski, M., Tarlow, E.M., Raim, A., Diehl, R.H., Larkin, R.P. & G.H. Visser.** 2003. Cost of migration in free-flying songbirds. *Nature* **423**: 704.
- 252 **Williams, J.B., Tieleman, B.I. & M. Shobrak.** 1999. Lizard burrows provide thermal refugia for larks in the Arabian desert. *Condor* **101**: 714-717.
- 253 **Wilson, R.P., Ducamp, J.J., Rees, G., Culik, B.M. & K. Niekamp.** 1992. Estimation of location: global coverage using light intensity. In: Priede I.M. & S.M. Swift (eds.). *Wildlife telemetry: remote monitoring and tracking of animals*: 131-134. Horward, Chichester.
- 254 **Witte, F., Goldschmidt, T. & J.H. Wanink.** 1995. Dynamics of the haplochromine cichlid fauna and other ecological changes in the Mwanza Gulf of Lake Victoria. In Pitcher, T.J. & P.J.B. Hart (eds.). *The impact of species changes in African lakes*: 83-110. Chapman & Hall, London.
- 255 **Witte, F., Goldschmidt, T., Wanink, J., van Oijen, M., Goudswaard, K., Witte-Maas, E. & E. Bouton.** 1992. The destruction of an endemic species flock: quantitative data on the decline of the haplochromine species from the Mwanza Gulf (Lake Victoria). *Env. Biol. Fish.* **34**: 1-28.
- 256 **Ydenberg, R.C.** 1998. Behavioral decisions about foraging and predator avoidance. In: R. Dukas (ed.). *Cognitive Ecology*: 343-378. The University of Chicago Press, Chicago.
- 257 **Zippelius, H.-M.** 1992. *Die vermessene Theorie: eine kritische Auseinandersetzung mit der Instinkttheorie von Konrad Lorenz und verhaltenskundlicher Forschungspraxis.* Friedr. Vieweg & Sohn, Braunschweig, p.1-295 (see pp. 141-168).
- 258 **Zwarts, L.** 1986. Burying depth of the benthic bivalve *Scrobicularia plana* (da Costa) in relation to siphon-cropping. *J. Exp. Mar. Biol. Ecol.* **101**: 25-39.
- 259 **Zwarts, L. & J.H. Wanink.** 1984. How oystercatchers and curlews successively deplete clams. In Evans, P.R. et al. (eds.). *Coastal waders and wildfowl in winter*: 69-83. Cambridge University Press, Cambridge.
- 260 **Zwarts, L. & J.H. Wanink.** 1989. Siphon size and burying depth in deposit- and suspension feeding benthic bivalves. *Mar. Biol.* **100**: 227-240.
- 261 **Zwarts, L., Cayford, J.T., Hulscher, J.B., Kersten, M., Meire, P.M. & P. Triplet.** 1996. Prey size selection and intake rate. In Goss-Custard, J.D. (ed.). *The oystercatcher*: 30-55. Oxford University Press, Oxford.
- 262 **Zwarts, L., Wanink, J.H. & B.J. Ens.** 1996. Predicting seasonal and annual fluctuations in the local exploitation of different prey by oystercatchers *Haematopus ostralegus*: A ten-year study in the Wadden Sea. *Ardea* **84**: 401-440.